






























Patient	Name / Age / Sex Diagnosis	Operation	Improvements	Current Status	Further required Interventions
	<b>Nisha</b> / 15yr / f. Bilateral chronic suppurative otitis media (C.S.O.M.) Bilateral conductive hearing loss of 35 dB	Left ear Tympanoplasty date: 14/12/16	Very good hearing improvement of 57 % in left ear (from 35 dB to 15 dB)	Small central residual perforation in antero inferior quadrant. Ear is dry and healthy.	Tympanoplasty for right ear. Chemical cauterization or fat graft myringoplasty for left ear.
	<b>Shahrukh</b> / 17yr / m. Bilateral C.S.O.M. of unsafe variety Right ear conductive hearing loss of 60 dB. Left ear mixed hearing loss > 90 dB.	Left ear Mastoidectomy date: on 14/12/16	Very slight hearing improvement of about 20 % in left ear (from 95 dB to 75 dB)	Left side ear is free from disease. Tympanic membrane intact.	Mastoidectomy for right ear. Hearing aid for left ear.
	<b>Binjola</b> / 13yr / f. Bilateral C.S.O.M. Right ear conductive hearing loss of 30 dB. Left ear conductive hearing loss of 45 dB.	Left ear Mastoidectomy with Ossicular Reconstruction date: 15/12/16	Very good hearing improvement of 55 % in left ear (from 45 dB to 20 dB)	Left side ear is free from disease. Tympanic membrane intact.	Mastoidectomy for right ear. For left ear no further intervention required.
	<b>Adil</b> / 13yr / m. Bilateral C.S.O.M. Right ear conductive hearing loss of 45 dB. Left ear conductive hearing loss of 30 dB.	Right ear Mastoidectomy with Ossicular Reconstruction date: 15/12/16	Good hearing improvement of 55 % in right ear (from 45 dB to 20 dB)	Right side ear is free from disease. Tympanic membrane intact	Mastoidectomy for left ear. For right ear no further intervention required.
	<b>Anjum</b> / 14yr / f. Right. Atelactatic ear with left C.S.O.M. Right ear conductive hearing loss of 25 dB. Left ear conductive hearing loss of 40 dB.	Left ear Mastoidectomy with Ossicular Reconstruction date: 16/12/16	Very good hearing improvement of 62.5 % in left ear (from 40 dB to 15 dB)	Left side ear is free from disease. Tympanic membrane intact.	Tympanoplasty/ Mastoidectomy for right ear. For left ear no further intervention required.
	<b>Anshul Thapa</b> / 14yr / m. Bilateral C.S.O.M. Bilateral conductive hearing loss of 40 dB	Right ear Mastoidectomy with Aural Polypectomy date: 19/12/16	Very good hearing improvement of 62.5 % in right ear (from 40 dB to 15 dB)	Small central residual perforation in antero inferior quadrant. Ear is dry and healthy.	Tympanoplasty for left ear. Chemical cauterization or fat graft myringoplasty for right ear.

	<p><b>Aayush s/o Hukum chand / 7yr / m.</b></p> <p>Left C.S.O.M of unsafe variety + Adenoid Hypertrophy + Right Glue Ear</p> <p>Conductive hearing loss: right: 30 dB, left: 45dB</p>	<p>Left Ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 02/01/17</p>	<p>Good hearing improvement of 55 % in left ear (from 45 dB to 20 dB)</p>	<p>Left side ear is free from disease.</p> <p>Tympanic membrane intact.</p>	<p>Tympanoplasty/ Mastoidectomy for right ear</p> <p>For left. ear no further intervention required.</p>
	<p><b>Aayush s/o Naveen / 6yr / m.</b></p> <p>Bilateral C.S.O.M</p> <p>Right ear conductive hearing loss of 35 dB. Left ear conductive hearing loss of 50 dB.</p>	<p>Left Ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 06/01/17</p>	<p>Very good hearing improvement of 70 % in left ear (from 50 dB to 15 dB)</p>	<p>Left side ear is free from disease.</p> <p>Tympanic membrane intact.</p>	<p>Mastoidectomy for right ear</p> <p>For left ear no further intervention required.</p>
	<p><b>Soaib / 15yr / m.</b></p> <p>Right C.S.O.M. of unsafe variety</p> <p>Right ear conductive hearing loss of 35 dB. Left ear hearing within normal limit.</p>	<p>Right ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 29/01/17</p>	<p>Good hearing improvement of 57 % in right ear (from 35 dB to 15 dB)</p>	<p>Right side ear is free from disease.</p> <p>Tympanic membrane intact.</p>	<p>No further intervention required.</p>
	<p><b>Binjola / 13yr / f.</b></p> <p>Bilateral C.S.O.M</p> <p>Right ear conductive hearing loss of 35 dB. Left ear hearing within normal limit.</p>	<p>Right ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 13/02/17</p> <p>(Left ear Mastoidectomy was performed on 15/12/16)</p>	<p>Slight hearing improvement of 33 % in right ear (from 30 dB to 20 dB)</p>	<p>Both ears are free from disease.</p> <p>Tympanic membrane intact.</p>	<p>No further intervention required.</p>
	<p><b>Navajish / 16yr / m.</b></p> <p>Right adhesive Otitis Media + Left C.S.O.M. of unsafe variety</p> <p>Conductive hearing loss: right: 25 dB (minimal), left: 45dB</p>	<p>Left ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 21/03/17</p>	<p>Slight hearing improvement of 23 % in left ear (from 45 dB to 35 dB)</p>	<p>Graft is not taken up.</p> <p>Ear is dry.</p>	<p>Second stage surgery of the same ear required after 2-3 months.</p>
	<p><b>Amir Khan / 17yr / f.</b></p> <p>Left C.S.O.M.</p> <p>Left ear conductive hearing loss of 45 dB</p>	<p>Left ear Mastoidectomy with Ossicular Reconstruction</p> <p>date: 24/04/17</p>	<p>Good hearing improvement of 55 % in left ear (from 20 dB to 45 dB)</p>	<p>Tympanic membrane intact on left side.</p>	<p>No further intervention required.</p>
	<p><b>Yasmin / 5yr / f.</b></p> <p>Adenotonsillar Hypertrophy + Bilateral Glue Ears</p> <p>Bilateral conductive hearing loss of 30 dB</p>	<p>Adeno Tonsillectomy + Bilateral Myringotomy + Grommet Insertion</p>	<p>Hearing improvement is seen on tuning fork test</p>	<p>Grommet is seen in bilateral tympanic membrane</p>	<p>No further intervention required.</p>

	<p><b>Ruchi Singh</b> / 19yr / f. Bilateral C.S.O.M. Right ear conductive hearing loss of 45 dB. Left ear conductive hearing loss of 35 dB.</p>	<p>Tympanoplasty with Type 2c Ossiculoplasty date: 23/05/17</p>	<p>Good hearing improvement of 57 % in right ear (from 45 dB to 25 dB)</p>	<p>Tympanic membrane intact on right side.</p>	<p>Tympanoplasty for left ear.</p>
	<p><b>Kajal Ramola</b> / 14yr / f. Bilateral adhesive Otitis Media Right ear conductive hearing loss of 40 dB. Left ear conductive hearing loss of 35 dB.</p>	<p>Tympanoplasty date: 24/5/17</p>	<p>Good hearing improvement of 50 % in right ear (from 40 dB to 20 dB)</p>	<p>Tympanic membrane intact on right side and found healthy.</p>	<p>Tympanoplasty for left ear.</p>
	<p><b>Monika</b> / 19yr / f. Right C.S.O.M. Right ear conductive hearing loss of 35 dB. Left ear hearing within normal limit.</p>	<p>Tympanoplasty date: 27/5/17</p>	<p>Good hearing improvement of 50 % in right ear (from 40 dB to 20 dB)</p>	<p>Graft taken up and found healthy.</p>	<p>No further intervention required.</p>
	<p><b>Anchal</b> / 9yr / f. Right C.S.O.M. Right ear conductive hearing loss of 45 dB. Left ear hearing within normal limit.</p>	<p>Right intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty date: 27/05/17</p>	<p>Good hearing improvement of 66.7 % in right ear (from 15 dB to 45 dB)</p>	<p>Tympanic membrane intact on right side.</p>	<p>No further intervention required.</p>
	<p><b>Mukesh</b> Bilateral C.S.O.M of unsafe variety Right ear conductive hearing loss of 55 dB. Left ear conductive hearing loss of 60 dB.</p>	<p>Left intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty date: 27/05/17</p>	<p>Good hearing improvement of 60 % in left ear (from 25 dB to 60 dB)</p>	<p>Tympanic membrane intact on left side.</p>	<p>Mastoidectomy for right ear</p>
	<p><b>Mohd. Jaid</b> / 6yr / m. Adenotonsillar Hypertrophy + Right Aural Polyps Right ear conductive hearing loss of 35 dB. Left ear conductive hearing loss of 25 dB.</p>	<p>Adenotonsillectomy with right Aural Polypectomy date: on 14/06/17</p>	<p>Good hearing improvement of bilateral ears (right ear 57%, left ear 40%)</p>	<p>Bilateral tympanic improved.</p>	<p>No further intervention required.</p>
	<p><b>Amisha</b> / 11yr / f. Right unsafe C.S.O.M. Right ear conductive hearing loss of 45 dB. Left ear hearing within normal limit.</p>	<p>Right intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty date: 19/06/17</p>	<p>Good hearing improvement of 55% in right ear.</p>	<p>Graft taken up and found healthy.</p>	<p>No further intervention required.</p>

	<p><b>Sachin</b> / 21yr / m.</p> <p>Right unsafe C.S.O.M. + Aural Polyps</p> <p>Right ear conductive hearing loss of 35 dB. Left ear hearing within normal limit.</p>	<p>Right intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty</p> <p>date: 19/06/17</p>	<p>Good hearing improvement of 43% in right ear.</p>	<p>Graft taken up and found healthy.</p>	<p>No further intervention required.</p>
	<p><b>Chetan</b> / 19yr / m.</p> <p>Right unsafe C.S.O.M.</p> <p>Right ear conductive hearing loss of 55 dB. Left ear hearing within normal limit.</p>	<p>Right Canal Wall down Mastoidectomy with Type 3 Ossiculoplasty</p> <p>date: 22/06/17</p>	<p>Good hearing improvement of 63% in right ear.</p>	<p>Cavity dry and graft intact.</p>	<p>No further intervention required.</p>
	<p><b>Anuj</b> / 15yr / m.</p> <p>Deviated Nasal Septum + Bilateral adhesive Otitis Media</p> <p>Bilateral conductive hearing loss of around 35 dB</p>	<p>Septoplasty + Bilateral Turbinoplasty done</p> <p>date 02/07/17</p>	<p>Very good hearing improvement of 66 % in both ears (from 35 dB to 15 dB)</p>	<p>Tympanic membrane healthy on both sides.</p>	<p>No further intervention required.</p>
	<p><b>Arish</b> / 8yr / m.</p> <p>Bilateral inferior Turbinate Hypertrophy + Bilateral adhesive Otitis Media</p> <p>Bilateral conductive hearing loss of around 30 dB</p>	<p>Functional Endoscopic Sinus Surgery + Bilateral Turbinoplasty + Bilateral Myringotomy</p> <p>date: 11/07/17</p>	<p>Fair hearing improvement of 33% in both ears (from 30 dB to 20 dB)</p>	<p>Tympanic membrane healthy on both sides.</p>	<p>No further intervention required.</p>
	<p><b>Ruchika</b> / 15yr / f.</p> <p>Bilateral C.S.O.M.</p> <p>Bilateral conductive hearing loss of around 40 dB</p>	<p>Left Tympanoplasty</p> <p>date: 11/07/17</p>	<p>Good hearing improvement of 50 % in left ear (from 40 dB to 20 dB)</p>	<p>Tympanic membrane intact on right side.</p>	<p>Tympanoplasty for right ear</p>
	<p><b>Priyaanshu</b> / 12yr / m.</p> <p>Adenotonsillar Hypertrophy + Bilateral adhesive Otitis Media</p> <p>Bilateral conductive hearing loss of around 30 dB</p>	<p>Adenotonsillectomy + Bilateral Myringotomy + Grommet Insertion</p> <p>date: 12/07/17</p>	<p>Fair hearing improvement of 33% in both ears (from 30 dB to 20 dB)</p>	<p>Tympanic membrane healthy on both sides. Grommet placed in position.</p>	<p>No further intervention required.</p>
	<p><b>Kuldeep</b> / 18yr / m.</p> <p>Bilateral C.S.O.M.</p> <p>Right ear conductive hearing loss of 40 dB. Left ear conductive hearing loss of 55 dB.</p>	<p>Left intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty</p> <p>date: 12/07/17</p>	<p>Good hearing improvement of 55% in left ear (from 55 dB to 25 dB)</p>	<p>Graft taken up and found healthy.</p>	<p>Tympanoplasty for right ear</p>

	<p><b>Rehan</b> / 9yr / m.</p> <p>Left Preauricular Sinus + Left C.S.O.M.</p> <p>Left ear conductive hearing loss of 40 dB. Right ear hearing within normal limit.</p>	<p>Left Preauricular Sinus Excision + Left Tympanoplasty</p> <p>date: 13/07/17</p>	<p>Good hearing improvement of 37% in left ear (from 40 dB to 25 dB)</p>	<p>Graft taken up and found healthy.</p>	<p>No further intervention required.</p>
	<p><b>Vandana</b> / 15yr / f.</p> <p>Right C.S.O.M. of unsafe variety + Left C.S.O.M. of safe variety</p> <p>Bilateral conductive hearing loss of around 45 dB</p>	<p>Right Canal Wall down Mastoidectomy with Type 2 Ossiculoplasty</p> <p>date: 13/07/17</p>	<p>Good hearing improvement of 45% in right ear (from 45 dB to 25 dB)</p>	<p>Mastoid cavity healthy and graft intact.</p>	<p>Tympanoplasty for right ear</p>
	<p><b>Anjum</b> / 15yr / f.</p> <p>Bilateral C.S.O.M.</p> <p>Bilateral conductive hearing loss of 35 dB</p>	<p>Left Tympanoplasty</p> <p>date: 14 /12/16 <i>T.M. was intact.</i></p> <p>Right intact Canal Wall Mastoidectomy with Type 1 Ossiculoplasty</p> <p>date: 13/07/17</p>	<p>Good hearing improvement of 42% in both ears (from 35 dB to 15 dB)</p>	<p>Tympanic membrane healthy on both sides.</p>	<p>No further intervention required.</p>
	<p><b>Amita</b> / 13yr / f.</p> <p>Left unsafe C.S.O.M + Right C.S.O.M. of tubotympanic variety</p> <p>Bilateral conductive hearing loss of 35 dB</p>	<p>Left intact Canal Wall Mastoidectomy with Type 2c Ossiculoplasty</p> <p>date: 13/07/17</p> <p><i>(Facial nerve found dehiscent at 2nd genu)</i></p>	<p>Good hearing improvement of 57% in right ear (from 35 dB to 15 dB).</p> <p>Mild facial weakness seen on second post operative day, which is improving.</p>	 <p>Graft intact ear drum healthy. Mild facial paresis seen, but improvement is seen day by day.</p>	<p>Tympanoplasty for right ear</p>
	<p><b>Shobhit</b> / 19yr / m.</p> <p>Bilateral unsafe C.S.O.M. + Left Aural Polyps</p> <p>Bilateral conductive hearing loss of 55 dB</p>	<p>Left intact Canal Wall Mastoidectomy + Aural Polypectomy</p> <p>date: 14/07/17</p>	<p>Very good hearing improvement of 63% in left ear (from 55 dB to 20 dB).</p>	<p>Graft intact ear. Drum found healthy.</p>	<p>Mastoidectomy for right ear</p>
	<p><b>Nishita</b> / 14yr / f.</p> <p>Right C.S.O.M. of tubotympanic variety</p> <p>Right ear conductive hearing loss of 40 dB. Left ear hearing within normal limit.</p>	<p>Right Tympanoplasty</p> <p>date: 15/07/17</p>	<p>Good hearing improvement of 50% in right ear (from 40 dB to 20 dB).</p>	<p>Graft intact ear. Drum found healthy.</p>	<p>No further intervention required.</p>
	<p><b>Jigyasha</b> / 10yr / f.</p> <p>Adenotonsillar Hypertrophy + Bilateral Glue Ears</p> <p>Bilateral conductive hearing loss of 30 dB</p>	<p>Adenotonsillectomy + Bilateral Myringotomy</p> <p>date: 17/07/17</p>	<p>Slight hearing improvement of 15% in right ear (from 30 dB to 20 dB)</p>	<p>Drum found healthy. Mild retraction present.</p>	<p>No further intervention required.</p>

	<p><b>Tannu</b> / 14yr / f.</p> <p>Adenotonsillar Hypertrophy + Bilateral adhesive Otitis Media.</p> <p>Bilateral conductive hearing loss of 30 dB</p>	<p>Adenotonsillectomy + Bilateral Myringotomy</p> <p>date: 17/07/17</p>	<p>Fair hearing improvement of 33% in right ear (from 30 dB to 20 dB)</p>	<p>Drum found healthy.</p>	<p>No further intervention required.</p>
	<p><b>Arushi</b> / 8yr / m.</p> <p>Right C.S.O.M.</p> <p>Right ear conductive hearing loss of 40 dB. Left ear hearing within normal limit.</p>	<p>Right Tympanoplasty with Type 1 Ossiculoplasty</p> <p>date: 17/07/17</p>	<p>Good hearing improvement of 50% in right ear (from 40 dB to 20 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>No further intervention required.</p>
	<p><b>Kalpana</b> / 18yr / f.</p> <p>Bilateral unsafe C.S.O.M.</p> <p>Bilateral conductive hearing loss of 45 dB</p>	<p>Right inside out Mastoidectomy with Type 1 Tympanoplasty</p> <p>date: 17/07/17</p>	<p>Good hearing improvement of 55% in right ear (from 45 dB to 20 dB)</p>	<p>Graft intact and taken up fully.</p>	<p>Mastoidectomy for left ear</p>
	<p><b>Sweta</b> / 17yr / f.</p> <p>Bilateral unsafe C.S.O.M.</p> <p>Right ear conductive hearing loss of 45 dB. Left ear conductive hearing loss of 30 dB.</p>	<p>Right inside out Mastoidectomy with Type 2 Ossiculoplasty</p> <p>date: 17/07/17</p>	<p>Good hearing improvement of 55% in right ear (from 45 dB to 20 dB)</p>	<p>Graft intact and taken up fully.</p>	<p>Mastoidectomy for left ear</p>
	<p><b>Tushar</b> / 11yr / m.</p> <p>Bilateral Canal Atrisia + Right Facial Paresis</p> <p>Bilateral conductive hearing loss of 60 dB</p>	<p>Right Mastoidectomy with Canaloplasty</p> <p>date: 17/07/17</p>	<p>Excellent hearing improvement of 75% in right ear (from 60 dB to 15 dB)</p>	<p>Graft intact and canal patent.</p>	<p>Mastoidectomy with Canaloplasty for left ear</p> <p>Speech therapy required.</p>
	<p><b>Sneha</b> / 11yr / f.</p> <p>Right C.S.O.M. of non drying variety</p> <p>Right ear conductive hearing loss of 40 dB. Left ear hearing within normal limit.</p>	<p>Right intact Canal Wall Mastoidectomy + Posterior Tympanotomy + Type 1 Ossiculoplasty</p> <p>date: 19/07/17</p>	<p>Good hearing improvement of 50% in right ear (from 40 dB to 20 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>No further intervention required.</p>
	<p><b>Rishika</b> / 12yr / f.</p> <p>Bilateral C.S.O.M. of tubotympanic variety</p> <p>Right ear conductive hearing loss of 30 dB. Left ear conductive hearing loss of 40 dB.</p>	<p>Left intact Canal Wall Mastoidectomy with Type 1 Ossiculoplasty</p> <p>date: 19/07/17</p>	<p>Good hearing improvement of 37% in left ear (from 40 dB to 25 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>Mastoidectomy for right ear</p>

	<p><b>Sehjadi / 17yr / f.</b></p> <p>Left C.S.O.M.</p> <p>Left ear conductive hearing loss of 35 dB</p>	<p>Left Type 1 Tympanoplasty</p> <p>date: 20/07/17</p>	<p>Good hearing improvement of 57% seen in left ear (from 35 dB to 15 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>No further intervention required.</p>
	<p><b>Rishabh / 8yr / m.</b></p> <p>Bilateral C.S.O.M. + Ossicular Fixation + Tympanosclerosis</p> <p>Bilateral conductive hearing loss of 60 dB</p>	<p>Right Tympanoplasty with Type 2 Ossiculoplasty</p> <p>date: 21/07/17</p>	<p>Good hearing improvement of 58% seen in right ear (from 60 dB to 25 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>Tympanoplasty for left ear</p>
	<p><b>Chandavi / 14yr / f.</b></p> <p>Left unsafe C.S.O.M.</p> <p>Left ear conductive hearing loss of 40 dB. Right ear hearing within normal limit.</p>	<p>Left intact Canal Wall Mastoidectomy with Type 1 Ossiculoplasty</p> <p>date: 26/07/17</p>	<p>Very good hearing improvement of 66% seen in left ear (from 60 dB to 20 dB)</p>	<p>Tympanic membrane intact and graft taken up.</p>	<p>No further intervention required.</p>
	<p><b>Farzan / 17yr / m.</b></p> <p>Left C.S.O.M.</p> <p>Left ear conductive hearing loss of 35 dB. Right ear hearing within normal limit.</p>	<p>Left Type 1 Tympanoplasty</p> <p>date: 07/08/17</p>	<p>Hearing improved on tuning fork test as well as subjective. Pt. called after 15 days for audio logical examination.</p>	<p>Gel foam removed from the external auditory canal. Graft intact.</p>	<p>Regular follow up required.</p>
	<p><b>Anus / 11yr / m.</b></p> <p>Left Gross Deviated Nasal Septum + Bilateral adhesive Otitis Media</p> <p>Bilateral mild conductive hearing loss</p>	<p>Adenotonsillectomy + Bilateral Myringotomy + Grommet Insertion</p> <p>date: 12/07/17</p>	<p>Hearing improvement can only be assessed after one month.</p>	<p>Bilateral nasal cavity patent and grommet placed in position.</p>	<p>Regular follow up required.</p>
	<p><b>Akshay / 10yr / m.</b></p> <p>Right unsafe C.S.O.M.</p> <p>Right ear conductive hearing loss of 55 dB. Left ear hearing within normal limit.</p>	<p>Left intact Canal Wall Mastoidectomy with Type 1 Ossiculoplasty</p> <p>date: 08/08/17</p>	<p>Hearing improved on tuning fork test as well as subjective. Pt. called after 15 days for audio logical examination.</p>	<p>Gel foam removed from the cavity graft intact.</p>	<p>Regular follow up required.</p>